| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------|---------|------------------|
| L1 | 844 | ((manag\$5) adj (communicat\$5 or transmi\$5)adj(device or apparatus or system)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:28 |
| L2 | 1536 | ((communicat\$5 or transmi\$5)adj (manag\$5)adj(device or apparatus or system)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:29 |
| L3 | 3306 | ((communicat\$5 or transmi\$5 or send\$5)adj (manag\$5 or control\$5 or supervis\$5 or monitor\$5)adj(device or apparatus or system)).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:30 |
| L4 | 287 | L3((communicat\$5 or transmi\$5)adj (manag\$5 or monitor5)adj(device or apparatus or system)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:30 |
| L5 | 191 | L4((communicat\$5 or transmi\$5 or send\$5)(manag\$5 or control\$5 or supervis\$5 or monitor\$5)(device or apparatus or system)).ab. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:30 |
| L6 | 154 | L5(communicat\$5 or transmi\$5 or manag\$5 or control\$5 or supervis\$5 or monitor\$5).ti. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:31 |
| L7 | 148 | L6(selection or preference or reference or choices or profile) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | ÄND | ON | 2006/10/07 16:40 |
| L8 | 148 | L7(identif\$5 or identity or id or code or reference or mapping or pointer) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:42 |
| L9 | 37 | L8 ((locat\$5 or look\$5 or search\$5 or check\$5 or match\$5 or determin\$5 or stor\$5)near(id or identif\$5 or refer\$5 or point\$5 or associat\$5 or mapp\$5 or code or key or secret)near(LDAP or directory or table or database or list or storage or stored or pre\$stored or information)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:41 |
| L10 | 84 | L8((translat\$5 or transform\$5 or direct\$5 or channel\$5 or synchroni\$5 or suitable)(block\$5 or delet\$5 or eras\$5 or prohibit\$5 or stop\$5 or updat\$5 or modify\$5)(default or automatic\$5)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:39 |

| | : | | | | | |
|-----|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-----|------|------------------|
| L11 | 3 | L10((selection or preference or reference or choices or profile)near(default or automatic\$5)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:41 |
| L12 | 24 | L10((select\$5 or preference or reference or choices or profile or choos\$5)near(default or automatic\$5 or system)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:41 |
| L13 | 56 | L9 or L12 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:35 |
| L14 | 716 | ((select\$5 or choos\$5 or stor\$5)near(unique or authorized or prefer\$5 or user)near(identif\$5 or id or identity or reference))((select\$5 or choos\$5 or stor\$5)near(device or communicat\$5 or receiv\$5 or reception or recipient or apparatus or unit or port))((plurality or multiple)near(devices or port or apparatus or machine or communication)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON . | 2006/10/07 17:47 |
| L15 | 418 | L14 ((locat\$5 or look\$5 or search\$5 or check\$5 or match\$5 or determin\$5 or stor\$5)near(id or identif\$5 or refer\$5 or point\$5 or associat\$5 or mapp\$5 or code or key or secret)near(LDAP or directory or table or database or list or storage or stored or pre\$stored or information)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:41 |
| L16 | 246 | L15((delivery or transmi\$5 or communicat\$5)near(mode or device)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:42 |
| L17 | 101 | L16((pointer or reference or associat\$5)same(id or identif\$5 or identity or PIN or password or code)same(part or portion or field or component)same(compris\$5 or contain\$5 or plurality or multiple)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:45 |

| | : | · . | | | | |
|-----|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------|------|------------------|
| L18 | 59 | L17((select\$5 or choos\$5 or stor\$5)near(unique or authorized or prefer\$5 or user)near(identif\$5 or id or identity or reference))((select\$5 or choos\$5 or stor\$5)near(device or communicat\$5 or receiv\$5 or reception or recipient)near(devices or port or apparatus or machine or communication)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:59 |
| L19 | 57 | L18(audio or voice or live or e\$mail or message) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:49 |
| L20 | 57 | L19(message or communicat\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:49 |
| L21 | 47 | L19(message or communicat\$5). clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 17:49 |
| L22 | 524 | (726/1).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:05 |
| L23 | 134 | (726/18).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:05 |
| L24 | 413 | (455/461).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:05 |
| L25 | 484 | (455/417).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:05 |
| L26 | 2223 | (705/10).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:05 |
| L27 | 3720 | L22 L23 L24 L25 L26 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON . | 2006/10/07 18:05 |
| L28 | 545 | (455/518).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:06 |

| | 1 | | | | | |
|-----|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-----|-----|------------------|
| L29 | 500 | (455/516).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:07 |
| L30 | 1638 | (702/188).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/07 18:07 |
| L31 | 6380 | L27 L28 L29 L30 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/10/07 18:33 |
| L32 | | L31((select\$5 or prefer\$5 or communicat\$5)adj(mode or reception or receiv\$5 or delivery))(group or type)(message or communicat\$5)((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)adj(message or e\$mail or electronic or communicat\$5)near(send\$5 or before or prior or wait\$5 or yet or process\$5 or sent))((block\$5 or stop\$5 or "not" or reject\$5)near(unauthorized or unknown or suspicious or stored or selected or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:15 |
| L33 | 10 | L31((select\$5 or prefer\$5 or communicat\$5)near(mode or reception or receiv\$5 or delivery))(group or type)(message or communicat\$5)((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)near(message or e\$mail or electronic or communicat\$5)near(send\$5 or before or prior or wait\$5 or yet or process\$5 or sent))((block\$5 or stop\$5 or "not" or reject\$5)same(unauthorized or unknown or suspicious or stored or selected or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:16 |

10/7/2006 7:17:21 PM C:\Documents and Settings\sabedin\My Documents\EAST\Workspaces\10602626.wsp

| | . | | | T | | |
|-----|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-----|----|------------------|
| L34 | 10 | L31((select\$5 or prefer\$5 or communicat\$5)near(mode or reception or receiv\$5 or delivery))(group or type or category)(message or communicat\$5)((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)near(message or e\$mail or electronic or communicat\$5)near(send\$5 or before or prior or wait\$5 or yet or process\$5 or sent))((block\$5 or stop\$5 or "not" or reject\$5)same(unauthorized or unknown or suspicious or stored or selected or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:22 |
| L35 | 73 | L31((select\$5 or prefer\$5 or communicat\$5)near(mode or reception or receiv\$5 or delivery))(group or type or category)(message or communicat\$5)((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)near(message or e\$mail or electronic or communicat\$5))((block\$5 or stop\$5 or "not" or reject\$5)same(unauthorized or unknown or suspicious or stored or selected or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:10 |
| L36 | 0 | L14 L35 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:23 |
| L37 | 3 | L3 L35 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:23 |
| L38 | 66 | L35(group or contact) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:27 |
| L40 | 17 | L38((block\$5 or stop\$5 or reject\$5 or "not")near(communicat\$5 or delivery or mode or transmi\$5 or receiv\$5)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:09 |
| L41 | 192850 | L31 (port).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/10/07 18:34 |

| | : | | | | | |
|-----|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------|-----|------------------|
| L42 | 208 | L31 (port).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:34 |
| L43 | 36 | L42((select\$5 or prefer\$5 or communicat\$5)near(mode or reception or receiv\$5 or delivery))(group or type or category)(message or communicat\$5) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:37 |
| L44 | 7 | L31(DRM)(message or communicat\$5).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:41 |
| L45 | 616 | (DRM)(message or communicat\$5). clm.(device).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:04 |
| L46 | 7 | L45((select\$5 or choos\$5 or stor\$5)near(unique or authorized or prefer\$5 or user)near(identif\$5 or id or identity or reference))((select\$5 or choos\$5 or stor\$5)near(device or communicat\$5 or receiv\$5 or reception or recipient)near(devices or port or apparatus or machine or communication)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:46 |
| L47 | 0 | 20010055963A1 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON. | 2006/10/07 18:46 |
| L48 | 1 | "20010055963" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:47 |
| L49 | 44 | "6374177" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND . | ON | 2006/10/07 18:47 |
| L50 | 8 | "6298058" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | OŃ | 2006/10/07 18:49 |
| L51 | 1 | "20020046272" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:49 |

| | : | | • | | | |
|-----|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------|------|------------------|
| L52 | 1 | "20030055930" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND · | ON | 2006/10/07 18:50 |
| L53 | 1 | "20030167411" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON . | 2006/10/07 18:50 |
| L54 | 1 | "20040186694" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:51 |
| L55 | 1 | "7054621" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:52 |
| L56 | 1 | "20040024912" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:54 |
| L57 | 2 | "20040203977" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:54 |
| L58 | 60 | L48 L49 L50 L51 L52 L53 L54 L55 L56 L57 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/10/07 18:55 |
| L60 | 37 | L58((unique or specific or map\$5 or look\$5 or look\$up or refer\$5 or point\$5 or link\$5)same(id or identif\$5 or identity or pass\$5 or code or key or authenticat\$5 or security)same(component or portion or field or modif\$5 or updat\$5 or stor\$5)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:59 |
| L61 | 8 | L58((unique or specific or map\$5 or look\$5 or look\$up or refer\$5 or point\$5 or link\$5)same(id or identif\$5 or identity or pass\$5 or code or key or authenticat\$5 or security)same(component or portion or field or modif\$5 or updat\$5 or stor\$5)).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 18:59 |

| | : | | | | | |
|-----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------|----|------------------|
| L62 | 21 | L58(((select\$5 or choos\$5 or stor\$5 or prefer\$5 or choic\$5 or user)same(identif\$5 or id or identity or refer\$5 or link\$5 or point\$5))((select\$5 or choos\$5 or stor\$5 or prefer\$5 or choic\$5 or user or pre\$\$stor\$5)near(device or communicat\$5 or receiv\$5 or reception or recipient or apparatus or machine or communication))). clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:04 |
| L63 | 24 | L62 L61 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/10/07 19:04 |
| L64 | 0 | L63(DRM)(message or communicat\$5).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:05 |
| L65 | 0 | L63(DRM)(message or communicat\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:05 |
| L66 | 0 | L63(digital adj rights) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:05 |
| L67 | 13 | L63(message or communicat\$5). clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:05 |
| L68 | 5 | L58((block\$5 or stop\$5 or reject\$5 or "not")near(communicat\$5 or delivery or mode or transmi\$5 or receiv\$5)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND . | ON | 2006/10/07 19:13 |
| L69 | 2 | L68(group or type or category)(message or communicat\$5)((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)near(message or e\$mail or electronic or communicat\$5))((block\$5 or stop\$5 or "not" or reject\$5)same(unauthorized or unknown or suspicious or stored or selected or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:12 |

| | <u> </u> | | | | | |
|-----|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------|------|------------------|
| L70 | 2 | L68((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)near(message or e\$mail or electronic or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:12 |
| L71 | 3 | L58((delet\$5 or eras\$5 or stop\$5 or edit\$5 or modif\$5 or updat\$5)near(message or e\$mail or electronic or communicat\$5)) (live or voice or text or audio or video) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 19:12 |
| S1 | 12 | flora near goldthwaite.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:26 |
| S2 | 27 | jonathan near cluts.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:42 |
| S3 | 14 | pamela near heath.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:42 |
| S4 | 10 | david near baumert.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:42 |
| S5 | 5 | woodman near aaron.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND - | ON | 2006/10/06 17:43 |
| S6 | 4 | immaneni near ashok.in. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON . | 2006/10/06 17:43 |
| S7 | 30 | S1 S2 S3 S4 S5 S6 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR · | ON | 2006/10/06 17:44 |
| S8 | 8 | S7 (message)(manag\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:50 |
| S9 | 59798 | ((message or transmi\$5 or communicat\$5)(manag\$5 or control\$5 or supervis\$5 or monitor\$5)).ti. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:51 |

| S10 | 22310 | S9((message or transmi\$5 or communicat\$5)(manag\$5 or control\$5 or supervis\$5 or monitor\$5)(API or interface or device or apparatus or unit or server or central)).ab. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:55 |
|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-------|-----|------------------|
| S11 | 272 | S10((user or party or parties or device)(profile or select\$5 or preference or choic\$5)(identif\$5 or identity or id or code or reference or pointer)).ab. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 18:08 |
| S12 . | 177 | S11(message or communicat\$5).ab. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 17:56 |
| S13 | 0 | S12(identif\$5 or identity or id or code or reference)".ab"(reference or mapping or pointer) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND . | ON | 2006/10/07 16:34 |
| S14 | 38 | S12(selection or preference or reference).ab.(reference or mapping or pointer) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:33 |
| S15 | 524 | (726/1).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/06 18:00 |
| S16 | 134 | (726/18).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/06 18:00 |
| S17 | 413 | (455/461).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/06 18:00 |
| S18 | 484 | (455/417).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/06 18:00 |
| S19 | 2223 | (705/10).CCLS. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2006/10/06 18:01 |
| S20 | 3720 | S15 S16 S17 S18 S19 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2006/10/07 18:05 |

| | • | | | | | |
|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-----|----|------------------|
| S21 | 1568 | S20 (message or communication). clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 18:07 |
| S22 | 326 | S20 (translat\$5 or transform\$5 or direct\$5 or channel\$5 or synchroni\$5 or suitable).clm. (block\$5 or delet\$5 or eras\$5 or prohibit\$5 or stop\$5 or updat\$5 or modify\$5).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/07 16:39 |
| S23 | 1703 | S21 or S22 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ÓN | 2006/10/06 18:06 |
| S24 | 302 | S23 ((message or communication)(manag\$5 or control\$5 or supervis\$5 or monitor\$5)).ab. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 18:08 |
| S25 | 12 | S24((user or party or parties or device)(profile or select\$5 or preference or choic\$5)(identif\$5 or identity or id or code or reference or pointer)).ab. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | AND | ON | 2006/10/06 18:09 |
| S26 | 4 | ("20020059176" "5918164" "6112088" "6131038").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2006/10/06 18:16 |
| S27 | 1 | (US-7024183-\$).did. | USPAT | AND | ON | 2006/10/06 18:17 |

Page 11